

UCT-0012-P



44
COPY OF PAPERS
ORIGINALLY FILED

030

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: TIMOTHY HLA ET AL)
Serial No.: 09/945,353) Group Art Unit: 2634
Filed: August 31, 2001) Before the Examiner:
For: METHOD FOR REGULATING)
ANGIOGENESIS)

RESPONSE TO NOTICE OF INCOMPLETE REPLY

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In response to the Notice of Incomplete Reply dated February 12, 2002, enclosed are the following:

1. Transmittal of Formal Drawings together with 22 sheets of formal drawings and certificate of mailing dated November 28, 2001;
2. Copy of postcard receipt stamped as being received by the United States Patent and Trademark Office on January 18, 2002;
3. PAIR page for United States Application Serial No. 09/945,353 indicating in

I certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231 on

March 5, 2002
(Date of Deposit)

Tracy A. Sweatt
(Name of Person Mailing Paper)

Signature

Date

the File Contents History, Item No. 7, Applicant has submitted new drawings to correct Corrected Papers problems, dated January 10, 2002; and

4. A copy of the Notice of Incomplete Reply dated February 12, 2002.

The Notice of Incomplete Reply indicates that the Reply to the Notice to File Missing Parts did not include the substitute drawings in compliance with 37 CFR 1.84. Accordingly, as evidenced above, Applicants did timely file the substitute drawings and have thus complied with all the requirements of the Notice to File Missing Parts of Nonprovisional Application dated October 5, 2001.

In the event the Commissioner of Patents deems that any extension fee or otherwise is required in connection with this application, please charge it to Deposit Account No. 06-1130 maintained by Applicants' attorneys.

Respectfully submitted,


TIMOTHY HLA et al.

CANTOR COLBURN LLP
Applicant's Attorneys

By: _____

Leah M. Reimer
Registration No. 39,341
Customer No. 23413

Date: March 5, 2002
Address: 55 Griffin Road South, Bloomfield, Connecticut 06002
Telephone: (860) 286-2929



COPY OF PAPERS
ORIGINALLY FILED

Page 1 of 1

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/945,353	08/31/2001	Timothy Hla	UCT-0012-P

23413
CANTOR COLBURN, LLP
55 GRIFFIN ROAD SOUTH
BLOOMFIELD, CT 06002

CONFIRMATION NO. 2675

FORMALITIES LETTER



OC000000007462419

Date Mailed: 02/12/2002

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on 01/10/2002 to the Notice to File Missing Parts (Notice) mailed 10/05/2001 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

in Delect

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE